

10/561,571

Welcome to STN International! Enter x:x

LOGINID:sssptal611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 SEP 01 INPADOC: New family current-awareness alert (SDI) available
NEWS 4 SEP 01 New pricing for the Save Answers for SciFinder Wizard within
STN Express with Discover!
NEWS 5 SEP 01 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX
NEWS 6 SEP 27 STANDARDS will no longer be available on STN
NEWS 7 SEP 27 SWETSCAN will no longer be available on STN
NEWS 8 OCT 28 KOREAPAT now available on STN
NEWS 9 NOV 18 Current-awareness alerts, saved answer sets, and current
search transcripts to be affected by CERAB, COMPUAB, ELCOM,
and SOLIDSTATE reloads
NEWS 10 NOV 30 PHAR reloaded with additional data
NEWS 11 DEC 01 LISA now available on STN

NEWS EXPRESS OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:11:03 ON 04 DEC 2004

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 09:11:13 ON 04 DEC 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

10/561,571

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 DEC 2004 HIGHEST RN 791748-19-1
DICTIONARY FILE UPDATES: 2 DEC 2004 HIGHEST RN 791748-19-1

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>

Uploading C:\STNEXP4\QUERIES\504020752-5.str

L1 STRUCTURE UPLOADED

=> que L1

L2 QUE L1

=> d l1

L1 HAS NO ANSWERS

L1 STR

/ Structure 1 in file .gra /

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 09:11:34 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 230 TO ITERATE

100.0% PROCESSED 230 ITERATIONS

50 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 3691 TO 5509

PROJECTED ANSWERS: 931 TO 1949

L3 50 SEA SSS SAM L1

=> d scan

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole, 1-[4-(1,3-dioxo-1H-benz[de]isoquinolin-2(3H)-yl)-1-oxobutyl]-2-(methylthio)- (9CI)
MF C24 H19 N3 O3 S

/ Structure 2 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Benzoic acid, 4-methoxy-, 2-[methyl[[2-[(R)-[3-methyl-4-(2,2,2-
trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-1H-benzimidazol-1-
yl]carbonyl]amino]ethyl ester (9CI)
MF C28 H27 F3 N4 O6 S

Absolute stereochemistry.

/ Structure 3 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole, 1-acetyl-2-[[2-(2,4-dichlorophenyl)-2-oxoethyl]thio]-5,6-
difluoro- (9CI)
MF C17 H10 Cl2 F2 N2 O2 S

/ Structure 4 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N-cyclopentyl-2-[[1-[2-(2,6-dimethyl-1-piperidinyl)-2-oxoethyl]-
1H-benzimidazol-2-yl]thio]- (9CI)
MF C23 H32 N4 O2 S

/ Structure 5 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 2-[(2-amino-2-oxoethyl)sulfonyl]-, methyl
ester (9CI)
MF C12 H13 N3 O5 S

/ Structure 6 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole, 2-(butylthio)-1-(4-methylbenzoyl)- (9CI)
MF C19 H20 N2 O S

/ Structure 7 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Benzoic acid, 2-[[2-(hexylthio)-1H-benzimidazol-1-yl]carbonyl]- (9CI)
MF C21 H22 N2 O3 S

/ Structure 8 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 2-Propanone, 1-[2-[[2-(3,4-dimethylphenoxy)ethyl]thio]-1H-benzimidazol-1-
yl]- (9CI)
MF C20 H22 N2 O2 S

/ Structure 9 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Quinoline, 1-[[2-(ethylthio)-1H-benzimidazol-1-yl]acetyl]-1,2,3,4-
tetrahydro- (9CI)
MF C20 H21 N3 O S

/ Structure 10 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-carboxamide, N-[2-[(acetyloxy)methyl]phenyl]-N-methyl-2-
[(R)-[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-
(9CI)
MF C27 H25 F3 N4 O5 S

Absolute stereochemistry.

/ Structure 11 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N-(4-fluorophenyl)-2-[[1-[3-[5-[(4-methoxyphenyl)methylene]-4-oxo-2-thioxo-3-thiazolidinyl]-1-oxopropyl]-1H-benzimidazol-2-yl]thio]-
(9CI)
MF C29 H23 F N4 O4 S3

/ Structure 12 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N-cyclopropyl-2-[[1-[2-(4-morpholinyl)-2-oxoethyl]-1H-
benzimidazol-2-yl]thio]- (9CI)
MF C18 H22 N4 O3 S

/ Structure 13 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, N-(4-fluorophenyl)-2-(pentylthio)- (9CI)
MF C20 H22 F N3 O S

/ Structure 14 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Benzoic acid, 4-[[[1-[2-[(4-carboxyphenyl)methyl]amino]-2-oxoethyl]-1H-
benzimidazol-2-yl]thio]acetyl]amino]methyl)- (9CI)
MF C27 H24 N4 O6 S

/ Structure 15 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 2-(ethylsulfonyl)-, methyl ester (9CI)
MF C12 H14 N2 O4 S

/ Structure 16 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, 2-[(1-acetyl-1H-benzimidazol-2-yl)thio]-N-2-benzothiazolyl-
(9CI)
MF C18 H14 N4 O2 S2

/ Structure 17 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N-(1-methylethyl)-2-[[1-[2-oxo-2-(1-piperidinyl)ethyl]-1H-
benzimidazol-2-yl]thio]- (9CI)
MF C19 H26 N4 O2 S

/ Structure 18 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 2-[[2-[5-methyl-2-(1-
methylethyl)phenoxy]ethyl]thio]- (9CI)
MF C21 H24 N2 O3 S

/ Structure 19 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, 2-[[1-[3-[5-[(4-methoxyphenyl)methylene]-4-oxo-2-thioxo-3-
thiazolidinyl]-1-oxopropyl]-1H-benzimidazol-2-yl]thio]-N-(4-methylphenyl)-
(9CI)
MF C30 H26 N4 O4 S3

/ Structure 20 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, N-(1-methylethyl)-2-[[2-(2-methyl-1-
piperidinyl)-2-oxoethyl]thio]- (9CI)
MF C20 H28 N4 O2 S

/ Structure 21 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Piperazine, 1-methyl-4-[[[1-[2-(4-methyl-1-piperazinyl)-2-oxoethyl]-1H-
benzimidazol-2-yl]thio]acetyl]- (9CI)
MF C21 H30 N6 O2 S

/ Structure 22 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Ethanethioic acid, trifluoro-, S-[1-(trifluoroacetyl)-1H-benzimidazol-2-
yl] ester (9CI)
MF C11 H4 F6 N2 O2 S

/ Structure 23 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-carboxamide, N-[2-(benzoyloxy)ethyl]-N-methyl-2-[(R)-
[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl)methylsulfinyl]- (9CI)
MF C27 H25 F3 N4 O5 S

Absolute stereochemistry.

/ Structure 24 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Benzoic acid, 2-[[2-(ethylthio)-1H-benzimidazol-1-yl]carbonyl]- (9CI)
MF C17 H14 N2 O3 S

/ Structure 25 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetic acid, [[1-[2-(4-methyl-1-piperidiny)-2-oxoethyl]-1H-benzimidazol-2-
yl]thio]- (9CI)
MF C17 H21 N3 O3 S

/ Structure 26 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-(ethylthio)-N-[(4-methoxyphenyl)methyl]-
(9CI)
MF C19 H21 N3 O2 S

/ Structure 27 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole, 1-[(4-methoxyphenoxy)acetyl]-2-[[4-
methylphenyl)methyl]thio]- (9CI)
MF C24 H22 N2 O3 S

/ Structure 28 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-[[2-(4-fluorophenyl)-2-oxoethyl]thio]-N-(1-
methylethyl)- (9CI)
MF C20 H20 F N3 O2 S

/ Structure 29 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Morpholine, 4-[[2-(ethylthio)-1H-benzimidazol-1-yl]acetyl]- (9CI)
MF C15 H19 N3 O2 S

/ Structure 30 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole, 2-(methylthio)-1-[1-oxo-3-(2-thienyl)-2-propenyl]- (9CI)
MF C15 H12 N2 O S2

/ Structure 31 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Carbonic acid, 1-methylethyl 2-[methyl[2-[(R)-[3-methyl-4-(2,2,2-
trifluoroethoxy)-2-pyridinyl]methylsulfinyl]-1H-benzimidazol-1-
yl]carbonylamino]ethyl ester (9CI)
MF C24 H27 F3 N4 O6 S

Absolute stereochemistry.

/ Structure 32 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, N-(phenylmethyl)-2-[(phenylmethyl)thio]-
(9CI)
MF C23 H21 N3 O S

/ Structure 33 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Morpholine, 4-[[2-[[2-(2,6-dimethyl-1-piperidinyl)-2-oxoethyl]thio]-1H-
benzimidazol-1-yl]acetyl]- (9CI)
MF C22 H30 N4 O3 S

/ Structure 34 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-[(phenylmethyl)sulfonyl]-N-[3-
(trifluoromethyl)phenyl]- (9CI)
MF C23 H18 F3 N3 O3 S

/ Structure 35 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Benzoic acid, 2-[[2-(nonylthio)-1H-benzimidazol-1-yl]carbonyl]- (9CI)
MF C24 H28 N2 O3 S

/ Structure 36 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, 2-[[1-[(3-chlorobenzo[b]thien-2-yl)carbonyl]-1H-benzimidazol-2-
yl]thio]-N-(tetrahydro-1,1-dioxido-3-thienyl)- (9CI)
MF C22 H18 Cl N3 O4 S3

/ Structure 37 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 2-Propanone, 1-[2-(ethylthio)-1H-benzimidazol-1-yl]- (9CI)
MF C12 H14 N2 O S

/ Structure 38 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N,N-diethyl-2-[[1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-1H-
benzimidazol-2-yl]thio]- (9CI)
MF C19 H26 N4 O2 S

/ Structure 39 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Carbonic acid, ethyl 2-[[[5-methoxy-2-[[[4-methoxy-3,5-dimethyl-2-
pyridinyl)methyl]sulfinyl]-1H-benzimidazol-1-yl]carbonyl]methylamino]ethyl
ester (9CI)
MF C24 H30 N4 O7 S

/ Structure 40 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N-(4-chlorophenyl)-2-[[1-[3-[5-[(4-methoxyphenyl)methylene]-4-oxo-2-thioxo-3-thiazolidinyl]-1-oxopropyl]-1H-benzimidazol-2-yl]thio]-
(9CI)
MF C29 H23 Cl N4 O4 S3

/ Structure 41 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-[[2-(cyclopentylamino)-2-oxoethyl]thio]-
N,N-bis(1-methylethyl)- (9CI)
MF C22 H32 N4 O2 S

/ Structure 42 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Piperazine, 1-[[2-[(1-methylethyl)thio]-1H-benzimidazol-1-yl]acetyl]-4-
(phenylmethyl)- (9CI)
MF C23 H28 N4 O S

/ Structure 43 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 2-[(carboxyphenylmethyl)thio]-6-nitro-
α-phenyl- (9CI)
MF C23 H17 N3 O6 S

/ Structure 44 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Propanoic acid, 2,2-dimethyl-, 2-[methyl[[2-[(R)-[[3-methyl-4-(2,2,2-
trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-1H-benzimidazol-1-
yl]carbonyl]amino]ethyl ester (9CI)
MF C25 H29 F3 N4 O5 S

Absolute stereochemistry.

/ Structure 45 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Benzoic acid, 2-[[2-[[4-methylphenyl)methyl]thio]-1H-benzimidazol-1-
yl]carbonyl]- (9CI)
MF C23 H18 N2 O3 S

/ Structure 46 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N,N-bis(1-methylethyl)-2-[[1-[2-(4-methyl-1-piperidiny1)-2-
oxoethyl]-1H-benzimidazol-2-yl]thio]- (9CI)
MF C23 H34 N4 O2 S

/ Structure 47 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 5,6-dimethoxy-2-(methylthio)-,
[(3-bromophenyl)methylene]hydrazide (9CI)
MF C19 H19 Br N4 O3 S

/ Structure 48 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Acetamide, N-(4-ethoxyphenyl)-2-[[1-[1-oxo-3-[4-oxo-5-(2-thienylmethylene)-
2-thioxo-3-thiazolidinyl]propyl]-1H-benzimidazol-2-yl]thio]- (9CI)
MF C28 H24 N4 O4 S4

/ Structure 49 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Benzimidazole-1-acetamide, N-(1-methylethyl)-2-[[2-(3-methyl-1-
piperidinyl)-2-oxoethyl]thio]- (9CI)
MF C20 H28 N4 O2 S

/ Structure 50 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571

L3 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Ethanone, 2-[2-[(heptafluoropropyl)thio]-1H-benzimidazol-1-yl]-1-phenyl-
(9CI)
MF C18 H11 F7 N2 O S

/ Structure 51 in file .gra /

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

10/561,571

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.84

1.05

STN INTERNATIONAL LOGOFF AT 09:12:07 ON 04 DEC 2004